


**NEW JERSEY CENTER
FOR TEACHING & LEARNING**

Progressive Science Initiative®

This material is made freely available at www.njctl.org and is intended for the non-commercial use of students and teachers. It may not be used for any commercial purpose without the written permission of NJCTL.

We, at the New Jersey Education Association, are proud founders and supporters of NJCTL, an independent non-profit organization with the mission of empowering teachers to lead school improvement for the benefit of all students.




**NEW JERSEY CENTER
FOR TEACHING & LEARNING**

Chemistry

The Periodic Table

2015-11-16

www.njctl.org

Table of Contents: The Periodic Table

[Click on the topic to go to that section](#)


- **Periodic Table**
- **Periodic Table & Electron Configurations**
- **Effective Nuclear Charge**
- **Periodic Trends: Atomic Radius**
- **Periodic Trends: Ionization Energy**
- **Periodic Trends: Electronegativity**
- **Periodic Trends: Metallic Character**

The Periodic Table

[Return to Table
of Contents](#)


Identifying Properties of Atoms

Now that we know where (or approximately where) to find the parts of atoms, we can start to understand how these factors all come together to affect how we view the elements.



Identifying Properties of Atoms

We can look at them as individual yet interacting chemicals, and we are able to group them based, not only on the properties they present when in isolation, but also the properties they reveal when exposed to other elements or compounds.



"Periodic" Table of Elements

The Periodic Table of Elements contains physical and chemical information about every element that matter can be made of in the Universe.



Courtesy of Hubble Telescope

The Pillars of Creation, part of the Eagle Nebula shown to the right, *is a cloud of interstellar gases 7,000 light years from Earth made up of the same gaseous elements found on the Periodic Table.

*NASA recently captured this image; however, the Pillars of Creation no longer exists. The Eagle Nebula was destroyed by a Supernova around 6000 years ago, but from our viewpoint, it will be visible for another 1000 years.

"Periodic" Table of Elements

These patterns were so predictable that Dmitri Mendeleev, the scientist who formulated the Periodic Law, was actually able to predict the existence of elements #31 and #32 and their approximate masses *before they were discovered* based on the existing patterns of known elements.

Gallium, $_{31}\text{Ga}$ Germanium, $_{32}\text{Ge}$ 

Mendeleev's work preceded the discovery of subatomic particles.

History of the Periodic Table

Mendeleev argued that elemental properties are periodic functions of their atomic weights.

We now know that element properties are periodic functions of their atomic number.

Atoms are listed on the periodic table in rows, based on number of protons.



"Periodic" Table of Elements

Why is one of the most useful tools ever created by humans called the "Periodic Table"?

When scientists were organizing the known elements, they noticed that certain patterns of chemical and physical behavior kept repeating themselves.


These elements
are all shiny
metals and react
violently in water.



Li	Lithium
Na	Sodium
K	Potassium



He
Ne
Ar
Kr
Xe
Rn



These elements
are all very
stable gases.

"Periodic" Table of Elements

THE PERIODIC LAW

Mendelejeff's First Periodic Table (March, 1869)

			Ti	50	Zr	90	?	100
			V	51	Nb	94	Ta	182
			Cr	52	Mo	96	W	186
			Mn	55	Rh	104.4	Pt	197.4
			Fe	56	Ru	104.4	Ir	198
			Ni=Co	59	Pd	106.6	Os	199
H 1			Cu	63.4	Ag	108	Hg	200
			Zn	65.2	Cd	112		
	Be 9.4	Mg 24	? 68		U	116	Au	197?
	B 11	Al 27	? 70		Sn	118		
	C 12	Si 28	As 75		Sb	122	Bi	210?
	N 14	P 31	Se 79.4		Te	128?		
	O 16	S 32			I	127		
	F 19	Cl 35.5	Br 80		Cs	133	Tl	204
Li 7	Na 23	K 39	Rb 85.4		Ba	137	Pb	207
		Ca 40	Sr 87.6					
		? 45	Ce 92					
		Er? 56	La 94					
		Yt? 60	Df 95					
		In 75.6?	Th 118?					

Periodic Table

The periodic table is made of rows and columns:

Rows in the periodic table are called Periods.
Columns in the periodic table are called Groups.

Groups are sometimes referred to as *Families*, but "groups" is more traditional.

groups

Periodic Table of the Elements

periods

© 2014 Cengage Learning

1 The elements in the Periodic Table are arranged from left to right in order of increasing ____.

- ☐ A mass
- ☐ B number of neutrons
- ☐ C number of protons
- ☐ D number of protons and electrons

2 What is the atomic number for the element in period 3, group 16?

3 What is the atomic number for the element in period 5, group 3?

Groups of Elements

The Periodic Table of Elements

Alkali metals Transition elements Halogens
 Alkaline earth metals Lanthanides Noble gases
 Other metals Actinides Other nonmetals
 Metalloids

Enjoy Tom Lehrer's
Famous Element Song!

Metals, Nonmetals, and Metalloids

The periodic table can be divided into metals (blue) and nonmetals (yellow). A few elements retain some of the properties of metals and nonmetals, they are called metalloids (pink).

metals metalloids nonmetals

Special Groups

Some groups have distinctive properties and are given special names.

Periodic Table of the Elements

The periodic table shows the following groups highlighted:

- Alkali Metals:** Group 1 (Li, Na, K, Rb, Cs, Fr)
- Alkaline Earth Metals:** Group 2 (Be, Mg, Ca, Sr, Ba, Ra)
- Transition Metals:** Groups 3-10 (Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Kr, etc.)
- Halogens:** Group 17 (F, Cl, Br, I, At)
- Noble Gases:** Group 18 (He, Ne, Ar, Kr, Xe, Rn)

Legend:

Atomic Number	Symbol	Name	Group
1	H	Hydrogen	1A
2	He	Helium	18
3	Li	Lithium	1A
4	Be	Beryllium	2A
5	B	Boron	13
6	C	Carbon	14
7	N	Nitrogen	15
8	O	Oxygen	16
9	F	Fluorine	17
10	Ne	Neon	18

Group 1 Alkali Metals (very reactive metals)

Periodic Table of the Elements

The periodic table shows Group 1 Alkali Metals highlighted in blue. Elements include: H, Li, Na, K, Rb, Cs, Fr.

Legend:

Atomic Number	Symbol	Name	Group
1	H	Hydrogen	1A
2	He	Helium	18
3	Li	Lithium	1A
4	Be	Beryllium	2A
5	B	Boron	13
6	C	Carbon	14
7	N	Nitrogen	15
8	O	Oxygen	16
9	F	Fluorine	17
10	Ne	Neon	18

Group 2 Alkaline Earth Metals (reactive metals)

Periodic Table of the Elements

The periodic table shows Group 2 Alkaline Earth Metals highlighted in blue. Elements include: Be, Mg, Ca, Sr, Ba, Ra.

Legend:

Atomic Number	Symbol	Name	Group
1	H	Hydrogen	1A
2	He	Helium	18
3	Li	Lithium	1A
4	Be	Beryllium	2A
5	B	Boron	13
6	C	Carbon	14
7	N	Nitrogen	15
8	O	Oxygen	16
9	F	Fluorine	17
10	Ne	Neon	18

Groups 3 - 12 Transition Metals (low reactivity, typical metals)

Periodic Table of the Elements

The periodic table shows Groups 3-12 Transition Metals highlighted in yellow. Elements include: Sc, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Kr, etc.

Legend:

Atomic Number	Symbol	Name	Group
1	H	Hydrogen	1A
2	He	Helium	18
3	Li	Lithium	1A
4	Be	Beryllium	2A
5	B	Boron	13
6	C	Carbon	14
7	N	Nitrogen	15
8	O	Oxygen	16
9	F	Fluorine	17
10	Ne	Neon	18

Group 16 Oxygen Family (elements of fire)

Periodic Table of the Elements

The periodic table shows Group 16 Oxygen Family highlighted in orange. Elements include: O, S, Se, Te, Po.

Legend:

Atomic Number	Symbol	Name	Group
1	H	Hydrogen	1A
2	He	Helium	18
3	Li	Lithium	1A
4	Be	Beryllium	2A
5	B	Boron	13
6	C	Carbon	14
7	N	Nitrogen	15
8	O	Oxygen	16
9	F	Fluorine	17
10	Ne	Neon	18

Group 17 Halogens (highly reactive, nonmetals)

Periodic Table of the Elements

The periodic table shows Group 17 Halogens highlighted in green. Elements include: F, Cl, Br, I, At.

Legend:

Atomic Number	Symbol	Name	Group
1	H	Hydrogen	1A
2	He	Helium	18
3	Li	Lithium	1A
4	Be	Beryllium	2A
5	B	Boron	13
6	C	Carbon	14
7	N	Nitrogen	15
8	O	Oxygen	16
9	F	Fluorine	17
10	Ne	Neon	18

Group 18 Noble Gases (nearly inert)

Periodic Table of the Elements

The periodic table shows elements grouped by their chemical properties. Group 18, the Noble Gases, is highlighted in blue. It includes Helium (He), Neon (Ne), Argon (Ar), Krypton (Kr), Xenon (Xe), and Radon (Rn). A legend indicates that the atomic number is in the top left, the symbol is in the top center, and the name is in the bottom center of each element box.

Major Groups of the Periodic Table

Periodic Table of the Elements

The periodic table is color-coded to show major groups: Alkali Metals (pink), Alkaline Earth Metals (light blue), Transition Metals (yellow), Halogens (green), and Noble Gases (blue). A legend indicates that the atomic number is in the top left, the symbol is in the top center, and the name is in the bottom center of each element box.

4 To which group on the periodic table does Iodine belong?

- ☐ A Noble Gases
- ☐ B Alkali Metals
- ☐ C Transition Metals
- ☐ D Halogens

5 To which group on the periodic table does Neon belong?

- ☐ A Alkali Metals
- ☐ B Transition Metals
- ☐ C Noble Gases
- ☐ D Alkaline Earth Metals

6 To which group on the periodic table does Fluorine belong?

- ☐ A Alkali Metals
- ☐ B Transition Metals
- ☐ C Noble Gases
- ☐ D Halogens

7 To which group on the periodic table does Iron belong?

- ☐ A Alkali Metals
- ☐ B Transition Metals
- ☐ C Halogens
- ☐ D Alkaline Earth Metals

8 To which group on the periodic table does Beryllium belong?

- ☐ A Alkali Metals
- ☐ B Transition Metals
- ☐ C Halogens
- ☐ D Alkaline Earth Metals

9 Two elements are studied. One with atomic number X and one with atomic number $X+1$. It is known that element X is a Noble Gas. Which group on the periodic table is $X+1$ in?

- ☐ A Transition Metals
- ☐ B Halogens
- ☐ C Alkali Metals
- ☐ D There is no way to tell

Periodic Table & Electron Configurations

[Return to Table of Contents](#)

Periodic Table & Electron Configuration

The elements are arranged by groups with similar reactivity.

How an element reacts depends on how its electrons are arranged. . .

Periodic Table of the Elements

. . . we now know that elements in the same groups, with the same chemical properties have very similar electron configurations.

Periodic Table & Electron Configuration

- s-block elements d-block elements (transition metals)
- p-block elements f-block elements: lanthanides (4f)

There are two methods for labeling the groups, the older method shown in black on the top and the newer method shown in blue on the bottom.

Periodic Table & Electron Configuration

[Click here to view an Interactive Periodic Table that shows orbitals for each Element](#)

[Click here for an electron orbital game.](#)

Group Names

Group Name	Group #	Electron Configuration	Characteristic
Alkali Metals	1	s ¹ ending	Very reactive
Alkaline Earth Metals	2	s ² ending	Reactive
Transition Metals	3-12 (d block)	ns ² , (n-1)d ending	Somewhat reactive, typical metals
Inner Transition Metals	f block	ns ² , (n-2)f ending	Somewhat reactive, radioactive
Halogens	17	s ² p ⁵ ending	Highly reactive
Noble Gases	18	s ² p ⁶ ending	Nonreactive

10 The highlighted elements below are in the ____.

- ☐ A s block
☐ B d block
☐ C p block
☐ D f block

A simplified periodic table diagram. The d-block, consisting of 10 columns between groups 2 and 13, is highlighted in yellow. This block includes elements from groups 3 to 10 across periods 4 to 7.

11 The highlighted elements below are in the ____.

- ☐ A s block
☐ B d block
☐ C p block
☐ D f block

A simplified periodic table diagram. The s-block, consisting of the first two columns (groups 1 and 2), is highlighted in green. This block includes elements from periods 1 to 7.

12 The highlighted elements below are in the ____.

- ☐ A s block
☐ B d block
☐ C p block
☐ D f block

A simplified periodic table diagram. The p-block, consisting of the last six columns (groups 13 to 18), is highlighted in light blue. This block includes elements from periods 2 to 7.

13 Elements in each group on the Periodic Table have similar ____.

- ☐ A mass
☐ B number of neutrons
☐ C number of protons and electrons
☐ D electron configurations

14 The electron configuration ending ns²p⁶ belongs in which group of the periodic table?

- ☐ A Alkali Metals
☐ B Alkaline Earth Metals
☐ C Halogens
☐ D Noble Gases

15 An unknown element has an electron configuration ending in s^2 . It is most likely in which group?

- ☐ A Alkaline Earth Metals
- ☐ B Halogens
- ☐ C Alkali Metals
- ☐ D Transition Metals

Periodic Table with f block in Place

Here is the Periodic Table with the f block in sequence. Why isn't this the more commonly used version of the table?

Shorthand Configurations

Noble Gas elements are used to write shortened electron configurations.

Helium
2
He
4.003
Neon
10
Ne
20.180
Argon
18
Ar
39.948
Krypton
36
Kr
83.80
Xenon
54
Xe
131.29
Radium
86
Rn
222

To write a Shorthand Configuration for an element:

(1) Write the Symbol of the Noble Gas element from the row before it in brackets [].

(2) Add the remaining electrons by starting at the s orbital of the row that the element is in until the configuration is complete.

Shorthand Configurations

Example: Sodium (Na)

Electron Configuration: $1s^2 2s^2 2p^6 3s^1$

Neon's electron configuration

Shorthand Configuration: $[\text{Ne}] 3s^1$

Fill in Shorthand Configurations

Element

Shorthand Configuration

Ca	<div>Slide for Answers →</div>
V	<div>→</div>
F	<div>→</div>
Ag	<div>→</div>
I	<div>→</div>
Xe	<div>→</div>
Fe	<div>→</div>
Sg	<div>→</div>

16 What would be the expected "shorthand" electron configuration for Sulfur (S)?

- ☐ A $[\text{He}]3s^2 3p^4$
- ☐ B $[\text{Ar}]3s^2 4p^4$
- ☐ C $[\text{Ne}]3s^2 3p^3$
- ☐ D $[\text{Ne}]3s^2 3p^4$

17 What would be the expected "shorthand" electron configuration for vanadium (V) ?

- ☐ A [He]4s²3d¹
- ☐ B [Ar]4s²3d¹⁰4p¹
- ☐ C [Ar]4s²3d³
- ☐ D [Kr]4s²3d¹

18 Which of the following represents an electron configuration of a halogen?

- ☐ A [He]2s¹
- ☐ B [Ne]3s²3p⁵
- ☐ C [Ar]4s²3d²
- ☐ D [Kr]5s²4d¹⁰5p⁴

19 The electron configuration [Ar]4s²3d⁵ belongs in which group of the periodic table?

- ☐ A Alkali Metals
- ☐ B Alkaline Earth Metals
- ☐ C Transition Metals
- ☐ D Halogens

20 Which of the following represents an electron configuration of an alkaline earth metal?

- ☐ A [He]2s¹
- ☐ B [Ne]3s²3p⁶
- ☐ C [Ar]4s²3d²
- ☐ D [Xe]6s²

21 The element iridium is found in a higher abundance in meteorites than in Earth's crust. One specific layer of Earth associated with the end of the Cretaceous Period has an abnormal abundance of iridium, which led scientists to hypothesize that the impact of a massive extraterrestrial object caused the extinction of the dinosaurs 66 million years ago. Using the Periodic Table, choose the correct electron configuration for iridium.

- ☐ A [Xe]6s²5d⁷
- ☐ B [Xe]6s²4f¹⁴5d⁷
- ☐ C [Xe]6s²5f¹⁴5d⁷
- ☐ D [Xe]6s²5f¹⁴6d⁷

22 The element tin has been known for a long and was even mentioned in the Old Testament of the Bible. During the Bronze Age, humans mixed tin and copper to make a malleable alloy called bronze. Tin's symbol is Sn, which comes from the Latin word "stannum." Which of the following is tin's correct electron configuration?

- ☐ A [Xe]5s²5d¹⁰5p²
- ☐ B [Kr]5s²4f¹⁴5d¹⁰5p²
- ☐ C [Kr]5s²4d¹⁰5p²
- ☐ D [Kr]5s²5d¹⁰5p²

23 Chemical elements with atomic numbers greater than 92 are called transuranic elements. They are all unstable and decay into other elements. All were discovered in the laboratory by using nuclear reactors or particle accelerators, although neptunium and plutonium were also discovered later in nature. Neptunium, number 93, and plutonium, number 94, were synthesized by bombarding uranium-238 with deuterons (a proton and neutron). What is plutonium's electron configuration?

- ☐ A $[\text{Rn}]7s^25d^{10}f^2$
☐ B $[\text{Rn}]7s^25f^{14}6d^{10}6p^2$
☐ C $[\text{Rn}]7s^26d^{10}5f^6$
☐ D $[\text{Rn}]7s^25f^6$

Stability

When the elements were studied, scientists noticed that, when put in the same situation, some elements reacted while others did not.

The elements that did not react were labeled "stable" because they did not change easily. When these stable elements were grouped together, periodically, they formed a pattern.

Today we recognize that this difference in stability is due to electron configurations.

Based on your knowledge and the electron configurations of argon and zinc, can you predict which electron is more stable?

Argon

Zinc

$1s^2 2s^2 2p^6 3s^2 3p^6$

$1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 3d^{10}$


Stability

Elements of varying stability fall into one of 3 categories. The most stable atoms have completely full energy levels.

~Full Energy Level

~Full Sublevel (s, p, d, f)

~Half Full Sublevel (d, f)




Stability

Next in order of stability are elements with full sublevels.

~Full Energy Level

~Full Sublevel (s, p, d, f)

~Half Full Sublevel (d, f)




Stability

Finally, the elements with half full sublevels are also stable, but not as stable as elements with fully energy levels or sublevels.

~Full Energy Level

~Full Sublevel (s, p, d, f)

~Half Full Sublevel (d, f)



24 The elements in the periodic table that have completely filled shells or subshells are referred to as:

- ☐ A noble gases.
☐ B halogens.
☐ C alkali metals.
☐ D transition elements.

25 Alkaline earth metals are more stable than alkali metals because...


- ☐ A they have a full shell.
- ☐ B they have a full subshell.
- ☐ C they have a half-full subshell.
- ☐ D they contain no p orbitals.

26 The elements in the periodic table which lack one electron from a filled shell are referred to as ____.

- ☐ A noble gases
- ☐ B halogens
- ☐ C alkali metals
- ☐ D transition elements

Electron Configuration Exceptions

There are basic exceptions in electron configurations in the d- and f-sublevels. These fall in the circled areas on the table below.




Electron Configuration Exceptions

Chromium

Expect: $[\text{Ar}] 4s^2 3d^4$ Actually: $[\text{Ar}] 4s^1 3d^5$


For some elements, in order to exist in a more stable state, electrons from an s sublevel will move to a d sublevel, thus providing the stability of a half-full sublevel. To see why this can happen we need to examine how "close" d and s sublevels are.



Energies of Orbitals

Because of how close the f and d orbitals are to the s orbitals, very little energy is required to move an electron from the s orbital (leaving it half full) to the f or d orbital, causing them to also be half full.

(It's kind of like borrowing a cup of sugar from a neighbor).




Electron Configuration Exceptions

Copper

Expected: $[\text{Ar}] 4s^2 3d^9$ Actual: $[\text{Ar}] 4s^1 3d^{10}$

Copper gains stability when an electron from the 4s orbital fills the 3d orbital.



27 The electron configuration for Copper (Cu) is

- ☐ A [Ar] 4s²4d⁹
- ☐ B [Ar] 4s¹4d⁹
- ☐ C [Ar] 4s²3d⁹
- ☐ D [Ar] 4s¹3d¹⁰

28 What would be the shorthand electron configuration for Silver (Ag)?

- ☐ A [Kr]5s²5d⁹
- ☐ B [Ar]5s¹4d¹⁰
- ☐ C [Kr]5s²4d⁹
- ☐ D [Kr]5s¹4d¹⁰

29 What would be the shorthand electron configuration for Molybdenum (Mb)?

- ☐ A [Kr]5s²5d⁴
- ☐ B [Ar]5s²4d⁴
- ☐ C [Kr]5s¹4d⁵
- ☐ D [Kr]5s²4d⁴

Effective Nuclear Charge and Coulomb's Law


[Return to Table of Contents](#)

Periodic Trends

There are four main trends in the periodic table:


- Radius of atoms
- Electronegativity
- Ionization Energy
- Metallic Character

These four periodic trends are all shaped by the interactions between the positive charge of the atomic nucleus and the negative charge of electrons. How do these charges interact with each other?




Periodic Trends

Remember that like charges repel and opposite charges attract. The positive protons are attracted to the negative electrons. The negative electrons, on the other hand, are repelled by neighboring electrons.



Atom Diagrams

Atoms of an element are often depicted showing total number of electrons in each energy level, like the diagram below:



For example, Neon's electron configuration:

$1s^2 2s^2 2p^6$


2 electrons
in inner energy levels

8 electrons
in the outer energy level.

These outer electrons are called valence electrons.

30 How many valence electrons does magnesium have?

- ☐ A 2
- ☐ B 8
- ☐ C 10
- ☐ D 12




31 Which of the following elements has the largest amount of inner shell electrons: aluminum, silicon or phosphorus?

- ☐ A Al
- ☐ B Si
- ☐ C P
- ☐ D They all have the same number of inner shell electrons.

Effective Nuclear Charge

In a multi-electron atom, electrons are both attracted to the positive nucleus and repelled by other electrons.


The nuclear charge that an electron experiences depends on both factors. For example, the valence electron of sodium is attracted to the positive nucleus but is repelled by the negative inner electrons.



The total charge on the valence electron is:
 $+11 + -10 = +1$

Effective Nuclear Charge

The inner shell electrons prevent the valence electron from feeling the full attractive force of the positive protons. In other words, the inner electrons are shielding the valence electrons from the nucleus.



These 10 inner electrons prevent the 1 valence electron from feeling the full attractive force of the 11 protons.

Effective Nuclear Charge


Effective nuclear charge is the amount of charge that the outer electron actually feels.

The formula for effective nuclear charge is:

$$Z_{\text{eff}} = Z - S$$

Z is the atomic number (the number of protons).

S is the shielding constant, the number of inner electrons that shields the valence electrons from the protons.



For sodium:

$$Z_{\text{eff}} = 11 - 10 = 1$$

Effective Nuclear Charge

Beryllium, boron and carbon are all in the same period of the periodic table. Compare their shielding constants.

Beryllium

Move for answer.

Boron


Move for answer.

Carbon

Move for answer.

Effective Nuclear Charge

Elements in the same period will have the same shielding constant because their valence electrons are located in the same energy level.



Each has a different atomic number. Boron and carbon have different subshells from beryllium. BUT, they are all in the same energy level, so they have the same number of shielding electrons.

Effective Nuclear Charge

Now look at effective nuclear charge. Compare the values for beryllium, boron and carbon.

Beryllium

Move for answer.

Boron

Move for answer.

Carbon

Move for answer.

What do these values tell you?

32 What is the shielding constant, S , for Boron (B)?



33 What is the effective nuclear charge, Z_{eff} on electrons in the outer most shell for Boron?

34 What is the shielding constant, S , for Aluminum (Al)?




35 What is the effective nuclear charge on electrons in the outer most shell for Aluminum?

36 Which of the following would have the highest effective nuclear charge?

- ☐ A Aluminum
- ☐ B Phosphorus
- ☐ C Chlorine
- ☐ D Neon

37 In which subshell does an electron in an arsenic (As) atom experience the greatest shielding?

- ☐ A 2p
- ☐ B 4p
- ☐ C 3s
- ☐ D 1s



38 Two elements are studied: one with atomic number X and one with atomic number X+1. Assuming element X is not a noble gas, which element has the larger shielding constant?

- ☐ A Element X
- ☐ B Element X+1
- ☐ C They are both the same.
- ☐ D More information is needed.

39 Two elements are studied: one with atomic number X and one with atomic number X+1. It is known that element X is a noble gas. Which element has the larger shielding constant?

- ☐ A Element X
- ☐ B Element X+1
- ☐ C They are both the same.
- ☐ D More information is needed.

40 In which subshell does an electron in a calcium atom experience the greatest effective nuclear charge?

- ☐ A 1s
- ☐ B 2s
- ☐ C 2p
- ☐ D 3s



41 Compare the following elements: potassium, cobalt and selenium. Which atom feels the strongest attractive force between the nucleus and the valence electrons?

- ☐ A K
- ☐ B Co
- ☐ C Se
- ☐ D They all experience the same magnitude of force.

Coulomb's Law

The magnitude of the force between the protons in the nucleus and electrons in the orbitals can be calculated using Coulomb's Law.

$$F = \frac{kq_1 q_2}{r^2}$$

k = Coulomb's constant

q_1 = the charge on the first object

q_2 = the charge on the second object

r^2 = the distance between the two objects

42 According to Coulomb's Law, the stronger the charge of the objects, the ____ the force between the objects.

- ☐ A stronger
- ☐ B weaker

$$F = \frac{kq_1 q_2}{r^2}$$

43 According to Coulomb's Law, the greater the distance between two objects, the ____ the force between the objects.

- ☐ A stronger
- ☐ B weaker

$$F = \frac{kq_1 q_2}{r^2}$$

Hydrogen

Applying Coulomb's Law to atoms provides useful information about those atoms.

Consider hydrogen. Z_{eff} for hydrogen is 1.


$Z_{\text{eff}} = 1$ proton - 0 inner electron

$Z_{\text{eff}} = 1$

The charge between the valence electron and the nucleus is $1e$.

Plugging this into Coulomb's Law:

$$F = \frac{kq_1 q_2}{r^2} \longrightarrow F = \frac{kZ_{\text{eff}}(e)^2}{r^2} \longrightarrow F = \frac{ke^2}{r^2}$$



Helium

Now let's apply Coulomb's Law to helium.

Z_{eff} for hydrogen is 2.


$Z_{\text{eff}} = 2$ protons - 0 inner electron

$Z_{\text{eff}} = 2$

The charge between the valence electron and the nucleus is $2e$.

Plugging this into Coulomb's Law:

$$F = \frac{kq_1 q_2}{r^2} \longrightarrow F = \frac{kZ_{\text{eff}}(e)^2}{r^2} \longrightarrow F = \frac{k(2e)^2}{r^2}$$



Hydrogen vs Helium

Now we can compare hydrogen and helium.

Hydrogen

The force between the valence electron and the nucleus is:

$$F = \frac{ke^2}{r^2}$$

Helium

The force between the valence electrons and the nucleus is:

$$F = \frac{k(2e)^2}{r^2}$$

(Initially, the radius is the same for both since both have valence electrons in the same energy level.)

The force between the nucleus and the electrons in helium is much larger than the force between the nucleus and the electron in hydrogen.


How does this affect the radii of the atoms?

Lithium

$$Z_{\text{eff}} = Z - S$$

$$Z_{\text{eff}} = 3 - 2$$

$$Z_{\text{eff}} = 1$$




Plugging this into Coulomb's Law:

$$F = \frac{kq_1 q_2}{r^2} \longrightarrow F = \frac{kZ_{\text{eff}}(e)^2}{r^2} \longrightarrow F = \frac{ke^2}{r^2}$$


Lithium vs Hydrogen

Lithium



$$F = \frac{ke^2}{r^2}$$

Hydrogen



$$F = \frac{ke^2}{r^2}$$

The Z_{eff} is the same for both atoms. However, lithium has valence electrons in a higher energy level.


How does this affect the radii of the atoms?

Beryllium

$$Z_{\text{eff}} = Z - S$$

$$Z_{\text{eff}} = 4 - 2$$

$$Z_{\text{eff}} = 2$$




Plug this into Coulomb's Law.

$$F = \frac{kq_1 q_2}{r^2}$$

Slide for
answer. →


Lithium vs Beryllium

Lithium



$$F = \frac{ke^2}{r^2}$$


Beryllium



$$F = \frac{k(2e)^2}{r^2}$$

How do the radii of beryllium and lithium compare?


44 What is Z_{eff} for Boron (B)?



45 Compare the radial size of boron to lithium and beryllium.

- ☐ A $\text{Li} > \text{Be} > \text{B}$
- ☐ B $\text{Li} < \text{Be} < \text{B}$
- ☐ C $\text{Li} > \text{B} > \text{Be}$
- ☐ D $\text{Be} < \text{Li} < \text{B}$

46 What is Z_{eff} for Carbon (C)?



47 Compare the radial size of carbon to boron and nitrogen.

- ☐ A $\text{C} > \text{N} > \text{B}$
- ☐ B $\text{C} < \text{N} < \text{B}$
- ☐ C $\text{B} > \text{C} > \text{N}$
- ☐ D $\text{B} < \text{C} < \text{N}$

48 Which of the following equations correctly calculates the Coulombic force between the valence electrons and the nucleus of an oxygen atom?

- ☐ A $F = k(2e)^2/r^2$
- ☐ B $F = k(4e)^2/r^2$
- ☐ C $F = k(6e)^2/r^2$
- ☐ D $F = k(8e)^2/r^2$

49 Give the atomic number of the smallest element in the 2nd period.


Periodic Trends: Atomic Radius

[Return to Table of Contents](#)

Atomic Radii Trend

50

What is the trend in atomic size across a period?
 What is the trend in atomic size down a group?
 (Pull the box away to see the answers.)

52 Down a group from top to bottom Z_{eff} ____.

- ☐ A increases
- ☐ B decreases
- ☐ C remains the same

54 Which one of the following atoms has the smallest radius?

- ☐ A O
- ☐ B F
- ☐ C S
- ☐ D Cl

51 Across a period from left to right Z_{eff} ____.

- ☐ A increases
- ☐ B decreases
- ☐ C remains the same

53 Atomic radius generally increases as we move ____.

- ☐ A down a group and from right to left across a period
- ☐ B up a group and from left to right across a period
- ☐ C down a group and from left to right across a period
- ☐ D up a group and from right to left across a period

55 Which one of the following atoms has the largest radius?

- ☐ A Cs
- ☐ B Al
- ☐ C Be
- ☐ D Ne

56 Which one of the following atoms has the smallest radius?

- ☐ A Fe
☐ B N
☐ C S
☐ D I

57 Of the following, which gives the correct order for atomic radius for Mg, Na, P, Si and Ar?

- ☐ A Mg > Na > P > Si > Ar
☐ B Ar > Si > P > Na > Mg
☐ C Si > P > Ar > Na > Mg
☐ D Na > Mg > Si > P > Ar

58 Which of the following correctly lists the five atoms in order of increasing size (smallest to largest)?

- ☐ A O < F < S < Mg < Ba
☐ B F < O < S < Mg < Ba
☐ C F < O < S < Ba < Mg
☐ D F < S < O < Mg < Ba

59 Two elements are studied. One with atomic number X and one with atomic number X+1. Assuming element X is not a Noble Gas, which element has the larger atomic radius?

- ☐ A Element X
☐ B Element X+1
☐ C They are both the same.
☐ D More information is needed.

60 Two elements are studied. One with atomic number X and one with atomic number X+1. It is known that element X is a Noble Gas. Which element has the larger atomic radius?

- ☐ A Element X
☐ B Element X+1
☐ C They are both the same.
☐ D More information is needed.

Summary of Atomic Radius Trends

- Across a period, effective nuclear charge increases while energy level remains the same. The force of attraction between the nucleus and valence electrons gets stronger. Valence electrons are pulled in tighter, so radius gets smaller.

$$F = \frac{kq_1q_2}{r^2}$$

This value gets larger, so force is larger. (Radius is smaller.)

- Down a period, effective nuclear charge remains the same while the energy level increases. The increased distance from the nucleus to valence electrons makes the force of attraction decrease. Electrons are not held as tightly, so radius gets larger.

$$F = \frac{kq_1q_2}{r^2}$$

This value gets larger, so force is smaller. (Radius is larger.)

[Click here for an animation on the atomic radius trend.](#)

Periodic Trends: Ionization Energy


[Return to Table
of Contents](#)

Ionization Energy

Atoms of the same element have equal numbers of protons and electrons.

Neutral Oxygen \rightarrow 8 (+) protons and 8 (-) electrons

Neutral Magnesium \rightarrow 12 (+) protons and 12 (-) electrons




Ionization Energy

The ionization energy is the amount of energy required to remove an electron from an atom.

Removing an electron creates a positively charged atom called a cation.


Calcium cation




Ionization Energy

The ionization energy is the amount of energy required to remove an electron from an atom. Removing an electron creates a positively charged atom called a cation.

The first ionization energy is the energy required to remove the first electron.



The second ionization energy is the energy required to remove the second electron, etc.




61 If an electron is removed from a sodium (Na) atom, what charge does the Na cation have?

62 If two electrons are removed from a Magnesium (Mg) atom, what charge does the Mg cation have?


Lithium vs Beryllium

Applying Coulomb's Law helps us to understand how ionization energy changes among elements.



Which atom is held together more closely?

Lithium vs Beryllium



Since beryllium holds onto its electrons tighter, it will require more energy to take away an electron. The ionization energy of beryllium is higher than lithium.

Ionization Energy and Coulomb's Law

As the force increases, the atom holds onto electrons tighter. These electrons will require more energy (ionization energy) to take them away than an atom with a lower force.

As force increases, ionization energy increases.

Think back to atomic radius. How does atomic radius relate to Coulomb's Law? How does it relate to ionization energy?

Trends in First Ionization Energies

Compare ionization energies for magnesium, aluminum and silicon.

First, find Coulomb's equation for each. Then, order the elements in increasing ionization energy.

Magnesium

Pull for answer →

Aluminum

Pull for answer →

Silicon

Pull for answer →


Increasing order of ionization energies: Pull for answer →

How does ionization energy change as you go across a period?

Trends in First Ionization Energies

Across a period, Z_{eff} increases and the force on electrons increases. This makes it harder for an electron to be taken away.

Ionization energy increases across a period.



Trends in First Ionization Energies

Compare ionization energies for sodium and potassium.

First, find Coulomb's equation for each. Then, order the elements in increasing ionization energy.

Sodium

Pull for answer →

Potassium

Pull for answer →


Increasing order of ionization energies: Pull for answer →

How does ionization energy change as you go down a group?

Trends in First Ionization Energies


Down a group, Z_{eff} stays the same but the extra energy levels make the radius larger which make the force less. It is easier to take electrons away.

Ionization energy decreases as you go down a period.



[Click here for an animation on ionization energy](#)


Trends in First Ionization Energies



However, there are two apparent discontinuities in this trend.

Discontinuity #1

The first is between Groups 2 and 13 (3A). As you can see on the chart to the right, the ionization energy actually decreases from Group 2 to Group 13 elements. The electron removed for Group 13 elements is from a p orbital and removing this electron actually adds stability.



The electron removed is farther from nucleus, there is a small amount of repulsion by the s electrons.

The atom gains stability by having a full s orbital, and an empty p orbital.

Discontinuity #1

More energy is required to remove an electron from Group 2 elements than Group 13 elements. Draw the orbital diagrams for Group 2 Boron and Group 13 Beryllium to illustrate why.

Boron

1s	2s	2p
----	----	----

Beryllium

1s	2s	2p
----	----	----

The atom gains stability by having a full s orbital, and an empty p orbital.


Discontinuity #2

63

Students type their answers here

The second is between Groups 15 and 16.

Using your knowledge of electron configurations and the stability of atoms explain why the first ionization energy for a Group 16 element would be less than that for a Group 15 element in the same period.



64 Of the elements below, _____ has the largest first ionization energy.

- ☐ A Li
- ☐ B K
- ☐ C Rb
- ☐ D H

65 Of the following atoms, which has the largest first ionization energy?

- ☐ A Br
- ☐ B O
- ☐ C C
- ☐ D P

66 Of the following elements, which has the largest first ionization energy?

- ☐ A Na
- ☐ B Al
- ☐ C Se
- ☐ D Cl

67 Which noble gas has the lowest first ionization energy (enter the atomic number)?

Periodic Trends: Electronegativity

[Return to Table of Contents](#)

Electronegativity

Electronegativity is the ability of an atom to attract other electrons.

Using Coulomb's Law, an atom with a high attractive force with its own electrons will also have a high attractive force with other electrons.

Use Coulomb's Law to rank boron, carbon and nitrogen in terms of increasing force.


Pull for answer →

How does electronegativity relate to ionization energy and atomic radius?

Electronegativity Trends

As you go across a period, the Z_{eff} increases and the force between nucleus and electrons increases. As this force increases, it is easier for the atom to attract other electrons, so electronegativity increases.


Electronegativity increases as you go across a period.



Electronegativity Trends

As you go down a group, the increased energy levels increase the radius. The force between nucleus and electrons decreases and it is harder for the atom to attract other electrons.

Electronegativity decreases down a group.



Electronegativity Exception #1

The Noble Gases are some of the smallest atoms, but are usually left out of electronegativity trends since they neither want electrons nor want to get rid of electrons.


Using your knowledge of electron configurations, why do you think noble gases are left out of electronegativity trends?



Electronegativity Exception #2

The Transition Metals have some unexpected trends in electronegativity because of their d and sometimes f orbitals.

The electrons located in the 3d orbitals (and all d and f orbitals after that) do not contribute as much to the shielding constants of the elements as electrons in the s and p orbitals.



As such, elements with configurations that end in a **d** or **f** orbital will frequently have atomic radii that do not match up with the normal trend.

68 The ability of an atom in a molecule to attract electrons is best quantified by its _____.

- ☐ A electronegativity
- ☐ B electron charge-to-mass ratio
- ☐ C atomic radius
- ☐ D number of protons

69 Electronegativity _____ from left to right within a period and _____ from top to bottom within a group.

- ☐ A decreases, increases
- ☐ B increases, increases
- ☐ C increases, decreases
- ☐ D decreases, decreases

70 Which of the following correctly ranks the elements from highest to lowest electronegativity?

- ☐ A $\text{Cl} > \text{S} > \text{P}$
- ☐ B $\text{Br} > \text{Cl} > \text{F}$
- ☐ C $\text{K} > \text{Na} > \text{Li}$
- ☐ D $\text{N} > \text{O} > \text{F}$

Summary of Electronegativity & First Ionization Energy Trends

Electronegativity & Ionization Energy increases left to right across a period.


Z_{eff} increases and the force of attraction between the nucleus and valence electrons is strengthened. More energy is required to remove these electrons.

Electronegativity & First Ionization Energy decrease going down a group.

The size of shells increases significantly. The distance between the nucleus and outer electrons increases. The force of attraction decreases.

*Additional Ionization Energies

It requires more energy to remove each successive electron.
ie: *second* ionization energy is greater than *first*,
third ionization energy is greater than *second*, etc.



When all valence electrons have been removed, leaving the atom with a full p subshell, the ionization energy becomes incredibly large.

71 An atom has the following values for its first four ionization energies. Which of the following elements would fit this data?

- ☐ A Li
- ☐ B Be
- ☐ C C
- ☐ D F

1st IE = 899.5 kJ/mol
2nd IE = 1,757 kJ/mol
3rd IE = 14,849 kJ/mol
4th IE = 21,007 kJ/mol


Periodic Trends: Metallic Character

[Return to Table of Contents](#)

Metallic Character

For a metal to conduct electricity or heat, it needs to have electrons that are free to move through it, not tightly bound to a particular atom.

The metallic character of an element is a measure of how loosely it holds onto its outer electrons.



72

Metallic Character


Students type their answers here

So the metallic character of an element is inversely related to its electronegativity.

On the periodic chart, metallic character increases as you go...

from right to left across a row.

from the top to the bottom of a column.



What is the relationship between first ionization energy and metallic character?

73 Because of the relationship between metallic character and electronegativity, you can say that metals tend to ____.

- ☐ A take in electrons, becoming positive.
- ☐ B give off electrons, becoming negative.
- ☐ C take in electrons, becoming negative.
- ☐ D give off electrons, becoming positive.

74 Of the elements below, ____ is the most metallic.

- ☐ A Sodium
- ☐ B Magnesium
- ☐ C Calcium
- ☐ D Cesium

75 Which of the elements below is the most metallic.

- ☐ A Na
- ☐ B Mg
- ☐ C Al
- ☐ D K

76 Which of the atoms below is the most metallic?

- ☐ A Br
- ☐ B O
- ☐ C Cl
- ☐ D N

77 Which of the atoms below is the most metallic?

- ☐ A Si
- ☐ B Cl
- ☐ C Rb
- ☐ D Ca

